

**AMENDMENTS TO THE CLAIMS:**

1. (Currently Amended) Security document card comprising:  
a support of the security document card; and  
a coating arranged at least on one side of the support, wherein the material of the support of the security document card contains high density polyethylene (HDPE) and linear low density polyethylene (LLDPE) and the material of the coating contains polycarbonate.
2. (Previously Presented) Security document card according to claim 1, wherein the material of the support also contains a filler.
3. (Previously Presented) Security document card according to claim 2, wherein the filler contains  $\text{TiO}_2$  and/or  $\text{CaCO}_3$ .
4. (Previously Presented) Security document card according to claim 2, wherein the filler content in the material of the support is at least 5% by weight.
5. (Previously Presented) Security document card according to claim 2, wherein the filler content in the material of the support is at least 20% by weight.
6. (Previously Presented) Security document card according to claim 1, wherein the layer thickness of the support is at least 100  $\mu\text{m}$ .

7. (Previously Presented) Security document card according to claim 1, wherein the layer thickness of the coating is less than the layer thickness of the support.

8. (Canceled)

9. (Canceled)

10. (Currently Amended) Security document card according to claim 1, wherein the coating comprises laser-engraved or laser written information ~~engraved or written on by means of a laser.~~

11. (Previously Presented) Security document card according to claim 1, wherein the coating comprises printed information.

12. (Currently Amended) Method for producing a security document card comprising:

a support of the security document card; and

a coating arranged at least on one side of the support, wherein the coating containing polycarbonate is fastened to the support of the security document card by means of hot-melt adhesive, the material of the support containing high density polyethylene (HDPE) and linear low density polyethylene (LLDPE).

13. (Previously Presented) Method according to claim 12, wherein the temperature at which the hot-melt adhesive is activated is above 100°C and below 200°C.

14. (Previously Presented) Method according to either claim 12 or claim 13, wherein information is engraved or written on a coating by means of lasers before and/or after fastening to the support.

15. (Previously Presented) Method according to either claim 12 or 13, wherein the coating is imprinted before and/or after fastening to the support.

16. (Previously Presented) Method according to claim 14, wherein the coating is imprinted before and/or after fastening to the support.

17. (Previously Presented) Security document card according to claim 3, wherein the filler content in the material of the support is at least 5% by weight.

18. (Previously Presented) Security document card according to claim 3, wherein the filler content in the material of the support is at least 20% by weight.

19. (Previously Presented) Security document card according to any one of claims 1 to 7, 17, or 18, wherein the layer thickness of the support is at least 120  $\mu\text{m}$  and the layer thickness of the coating is at least 100  $\mu\text{m}$ .

20. (Previously Presented) Security document card according to any one of claims 1 to 7, 17 or 18, wherein the coating is fastened to the support by means of hot-melt adhesive.